

Scheduling injections for 6 months of HIV protection¹

After initiation dosing.

ANNUAL PLANNING CALENDAR

Indication

YEZTUGO is indicated for pre-exposure prophylaxis (PrEP) to reduce the risk of sexually acquired HIV-1 in adults and adolescents (≥ 35 kg) who are at risk for HIV-1 acquisition. Individuals must have a negative HIV-1 test prior to initiating YEZTUGO.

Important Safety Information

BOXED WARNING: RISK OF DRUG RESISTANCE WITH USE OF YEZTUGO IN UNDIAGNOSED HIV-1 INFECTION

- Individuals must be tested for HIV-1 infection prior to initiating YEZTUGO, and with each subsequent injection of YEZTUGO, using a test approved or cleared by the FDA for the diagnosis of acute or primary HIV-1 infection. Drug-resistant HIV-1 variants have been identified with use of YEZTUGO by individuals with undiagnosed HIV-1 infection. Do not initiate YEZTUGO unless negative infection status is confirmed. Individuals who acquire HIV-1 while receiving YEZTUGO must transition to a complete HIV-1 treatment regimen.

Contraindications

- YEZTUGO is contraindicated in individuals with unknown or positive HIV-1 status.


Please see additional Important Safety Information throughout and click [here](#) for full Prescribing Information for YEZTUGO, including **BOXED WARNING**.

Straightforward dosing with twice-yearly YEZTUGO¹

yeztugo[®]
(lenacapavir) injection
463.5 mg/1.5 mL

Confirm negative HIV-1 status prior to each injection of YEZTUGO every 6 months, and additionally as clinically appropriate.

Initiation



Continuation



The first 6 months on YEZTUGO begins with a 2-day initiation dosing. This includes 2 oral tablets and 2 subcutaneous injections on the first day, and 2 oral tablets the next day at home.

- If an individual misses the Day 2 oral initiation dose (600 mg), have them take it as soon as possible. They should not take the Day 1 and Day 2 oral initiation doses on the same day.

Ongoing continuation dosing of YEZTUGO is given with only 2 injections (and no more oral doses^a) every 6 months from the date of the last injection.

^aContinuation dosing is given by injection only (unless the injection schedule is interrupted).

Counsel individuals on the importance of adherence to scheduled YEZTUGO dosing visits.

See full Prescribing Information for dosage modification recommendations for individuals receiving YEZTUGO and initiating therapy with strong or moderate CYP3A inducers.

CYP3A=cytochrome P450 3A.

Important Safety Information (cont'd)

Warnings and precautions

• Comprehensive risk management:

- Use YEZTUGO to reduce the risk of HIV-1 acquisition as part of a comprehensive prevention strategy including adherence to the administration schedule and safer sex practices, including condoms, to reduce the risk of sexually transmitted infections (STIs).
- HIV-1 acquisition risk includes behavioral, biological, or epidemiologic factors including, but not limited to, condomless sex, past or present STIs, self-identified HIV risk, having sexual partners of unknown HIV-1 viremic status, or sexual activity in a high-prevalence area or network. Counsel individuals on the use of other prevention methods to help reduce their risk.
- Use YEZTUGO only in individuals confirmed to be HIV-1 negative. Evaluate for current or recent signs or symptoms consistent with HIV-1 infection. Confirm HIV-1 negative status prior to initiating, prior to each subsequent injection, and as clinically appropriate.

Please see additional Important Safety Information throughout and click [here](#) for full Prescribing Information for YEZTUGO, including **BOXED WARNING**.

Flexibility in continuation dosing¹

yeztugo[®]
(lenacapavir) injection
463.5 mg/1.5 mL

After initiating YEZTUGO, continuation dosing is delivered by subcutaneous injection only, every 6 months.

To offer flexibility when scheduling that continuation dosing, YEZTUGO can be administered up to 2 weeks earlier or 2 weeks later than the scheduled injection date, 6 months from the last injection.




Using a calendar for annual planning

The following pages can be used each year to quickly understand when continuation injections can be administered.



Managing delayed and/or missed injections

There are options to help individuals avoid interrupting YEZTUGO if they anticipate a delay or miss an injection visit. See full Prescribing Information for complete details about each option.



Visit [YEZTUGOhcp.com/dosing-administration](https://www.yeztugo.com/dosing-administration) to watch a series of videos on dosing and administration.

Important Safety Information (cont'd)

Warnings and precautions (cont'd)

- **Potential risk of resistance:**
 - There is a potential risk of developing resistance to YEZTUGO if an individual acquires HIV-1 before or when receiving YEZTUGO, or following discontinuation. HIV-1 resistance substitutions may emerge in individuals with undiagnosed HIV-1 infection taking only YEZTUGO, because YEZTUGO alone is not a complete regimen for HIV-1 treatment.
 - To minimize this risk, it is essential to test before each injection and additionally as clinically appropriate. Individuals confirmed to have HIV-1 must immediately begin a complete HIV-1 treatment regimen.
 - Alternative forms of PrEP should be considered after discontinuation of YEZTUGO for those who are at continuing risk of HIV-1 acquisition and should be initiated within 28 weeks of the last YEZTUGO injection.
- **Long-acting properties and potential associated risks:**
 - Residual concentrations of YEZTUGO may remain in systemic circulation for up to 12 months or longer after the last injection.
 - Select individuals who agree to the required injection dosing schedule because nonadherence or missed doses could lead to HIV-1 acquisition and development of resistance.
- **Serious injection site reactions:** Improper administration (intradermal injection) has been associated with serious injection site reactions, including necrosis and ulcer. Only administer YEZTUGO subcutaneously.

Adverse reactions

- **Most common adverse reactions (≥5%)** in YEZTUGO clinical trials were injection site reactions, headache, and nausea.

Please see additional Important Safety Information throughout and click [here](#) for full Prescribing Information for YEZTUGO, including **BOXED WARNING**.

YEZTUGO Continuation Dosing Calendar



The dates in the following calendar are based on a continuation injection schedule for YEZTUGO, where injections are delivered every 6 months (target date of 26 weeks).¹ This calendar also includes the earliest and latest possible dates for those injections, which are administered 2 weeks before or after the target date.¹

Some things to consider before booking an injection appointment:

- Upcoming government holiday or other holiday schedules
- Other appointment(s) an individual may have at the clinic around the same time
- Note that this calendar is based on a standard year, not on a leap year, and does not take into account dose modifications and delayed or missed doses

		Injections can be given ±2 weeks from target date				Injections can be given ±2 weeks from target date	
Last injection given	Target injection date	Earliest possible injection date	Latest possible injection date	Last injection given	Target injection date	Earliest possible injection date	Latest possible injection date
January 1	July 2	June 18	July 16	February 1	August 2	July 19	August 16
January 2	July 3	June 19	July 17	February 2	August 3	July 20	August 17
January 3	July 4	June 20	July 18	February 3	August 4	July 21	August 18
January 4	July 5	June 21	July 19	February 4	August 5	July 22	August 19
January 5	July 6	June 22	July 20	February 5	August 6	July 23	August 20
January 6	July 7	June 23	July 21	February 6	August 7	July 24	August 21
January 7	July 8	June 24	July 22	February 7	August 8	July 25	August 22
January 8	July 9	June 25	July 23	February 8	August 9	July 26	August 23
January 9	July 10	June 26	July 24	February 9	August 10	July 27	August 24
January 10	July 11	June 27	July 25	February 10	August 11	July 28	August 25
January 11	July 12	June 28	July 26	February 11	August 12	July 29	August 26
January 12	July 13	June 29	July 27	February 12	August 13	July 30	August 27
January 13	July 14	June 30	July 28	February 13	August 14	July 31	August 28
January 14	July 15	July 1	July 29	February 14	August 15	August 1	August 29
January 15	July 16	July 2	July 30	February 15	August 16	August 2	August 30
January 16	July 17	July 3	July 31	February 16	August 17	August 3	August 31
January 17	July 18	July 4	August 1	February 17	August 18	August 4	September 1
January 18	July 19	July 5	August 2	February 18	August 19	August 5	September 2
January 19	July 20	July 6	August 3	February 19	August 20	August 6	September 3
January 20	July 21	July 7	August 4	February 20	August 21	August 7	September 4
January 21	July 22	July 8	August 5	February 21	August 22	August 8	September 5
January 22	July 23	July 9	August 6	February 22	August 23	August 9	September 6
January 23	July 24	July 10	August 7	February 23	August 24	August 10	September 7
January 24	July 25	July 11	August 8	February 24	August 25	August 11	September 8
January 25	July 26	July 12	August 9	February 25	August 26	August 12	September 9
January 26	July 27	July 13	August 10	February 26	August 27	August 13	September 10
January 27	July 28	July 14	August 11	February 27	August 28	August 14	September 11
January 28	July 29	July 15	August 12	February 28	August 29	August 15	September 12
January 29	July 30	July 16	August 13				
January 30	July 31	July 17	August 14				
January 31	August 1	July 18	August 15				

Please see additional Important Safety Information throughout and click [here](#) for full Prescribing Information for YEZTUGO, including **BOXED WARNING**.

YEZTUGO Continuation Dosing Calendar (cont'd)



Injections can be given
±2 weeks from target date

Last injection given	Target injection date	Earliest possible injection date	Latest possible injection date
March 1	August 30	August 16	September 13
March 2	August 31	August 17	September 14
March 3	September 1	August 18	September 15
March 4	September 2	August 19	September 16
March 5	September 3	August 20	September 17
March 6	September 4	August 21	September 18
March 7	September 5	August 22	September 19
March 8	September 6	August 23	September 20
March 9	September 7	August 24	September 21
March 10	September 8	August 25	September 22
March 11	September 9	August 26	September 23
March 12	September 10	August 27	September 24
March 13	September 11	August 28	September 25
March 14	September 12	August 29	September 26
March 15	September 13	August 30	September 27
March 16	September 14	August 31	September 28
March 17	September 15	September 1	September 29
March 18	September 16	September 2	September 30
March 19	September 17	September 3	October 1
March 20	September 18	September 4	October 2
March 21	September 19	September 5	October 3
March 22	September 20	September 6	October 4
March 23	September 21	September 7	October 5
March 24	September 22	September 8	October 6
March 25	September 23	September 9	October 7
March 26	September 24	September 10	October 8
March 27	September 25	September 11	October 9
March 28	September 26	September 12	October 10
March 29	September 27	September 13	October 11
March 30	September 28	September 14	October 12
March 31	September 29	September 15	October 13

Injections can be given
±2 weeks from target date

Last injection given	Target injection date	Earliest possible injection date	Latest possible injection date
April 1	September 30	September 16	October 14
April 2	October 1	September 17	October 15
April 3	October 2	September 18	October 16
April 4	October 3	September 19	October 17
April 5	October 4	September 20	October 18
April 6	October 5	September 21	October 19
April 7	October 6	September 22	October 20
April 8	October 7	September 23	October 21
April 9	October 8	September 24	October 22
April 10	October 9	September 25	October 23
April 11	October 10	September 26	October 24
April 12	October 11	September 27	October 25
April 13	October 12	September 28	October 26
April 14	October 13	September 29	October 27
April 15	October 14	September 30	October 28
April 16	October 15	October 1	October 29
April 17	October 16	October 2	October 30
April 18	October 17	October 3	October 31
April 19	October 18	October 4	November 1
April 20	October 19	October 5	November 2
April 21	October 20	October 6	November 3
April 22	October 21	October 7	November 4
April 23	October 22	October 8	November 5
April 24	October 23	October 9	November 6
April 25	October 24	October 10	November 7
April 26	October 25	October 11	November 8
April 27	October 26	October 12	November 9
April 28	October 27	October 13	November 10
April 29	October 28	October 14	November 11
April 30	October 29	October 15	November 12

Please see additional Important Safety Information throughout and click [here](#) for full Prescribing Information for YEZTUGO, including **BOXED WARNING**.

YEZTUGO Continuation Dosing Calendar (cont'd)



Injections can be given
±2 weeks from target date

Last injection given	Target injection date	Earliest possible injection date	Latest possible injection date
May 1	October 30	October 16	November 13
May 2	October 31	October 17	November 14
May 3	November 1	October 18	November 15
May 4	November 2	October 19	November 16
May 5	November 3	October 20	November 17
May 6	November 4	October 21	November 18
May 7	November 5	October 22	November 19
May 8	November 6	October 23	November 20
May 9	November 7	October 24	November 21
May 10	November 8	October 25	November 22
May 11	November 9	October 26	November 23
May 12	November 10	October 27	November 24
May 13	November 11	October 28	November 25
May 14	November 12	October 29	November 26
May 15	November 13	October 30	November 27
May 16	November 14	October 31	November 28
May 17	November 15	November 1	November 29
May 18	November 16	November 2	November 30
May 19	November 17	November 3	December 1
May 20	November 18	November 4	December 2
May 21	November 19	November 5	December 3
May 22	November 20	November 6	December 4
May 23	November 21	November 7	December 5
May 24	November 22	November 8	December 6
May 25	November 23	November 9	December 7
May 26	November 24	November 10	December 8
May 27	November 25	November 11	December 9
May 28	November 26	November 12	December 10
May 29	November 27	November 13	December 11
May 30	November 28	November 14	December 12
May 31	November 29	November 15	December 13

Injections can be given
±2 weeks from target date

Last injection given	Target injection date	Earliest possible injection date	Latest possible injection date
June 1	November 30	November 16	December 14
June 2	December 1	November 17	December 15
June 3	December 2	November 18	December 16
June 4	December 3	November 19	December 17
June 5	December 4	November 20	December 18
June 6	December 5	November 21	December 19
June 7	December 6	November 22	December 20
June 8	December 7	November 23	December 21
June 9	December 8	November 24	December 22
June 10	December 9	November 25	December 23
June 11	December 10	November 26	December 24
June 12	December 11	November 27	December 25
June 13	December 12	November 28	December 26
June 14	December 13	November 29	December 27
June 15	December 14	November 30	December 28
June 16	December 15	December 1	December 29
June 17	December 16	December 2	December 30
June 18	December 17	December 3	December 31
June 19	December 18	December 4	January 1
June 20	December 19	December 5	January 2
June 21	December 20	December 6	January 3
June 22	December 21	December 7	January 4
June 23	December 22	December 8	January 5
June 24	December 23	December 9	January 6
June 25	December 24	December 10	January 7
June 26	December 25	December 11	January 8
June 27	December 26	December 12	January 9
June 28	December 27	December 13	January 10
June 29	December 28	December 14	January 11
June 30	December 29	December 15	January 12

Please see additional Important Safety Information throughout and click [here](#) for full Prescribing Information for YEZTUGO, including **BOXED WARNING**.

YEZTUGO Continuation Dosing Calendar (cont'd)



Injections can be given
±2 weeks from target date

Last injection given	Target injection date	Earliest possible injection date	Latest possible injection date
July 1	December 30	December 16	January 13
July 2	December 31	December 17	January 14
July 3	January 1	December 18	January 15
July 4	January 2	December 19	January 16
July 5	January 3	December 20	January 17
July 6	January 4	December 21	January 18
July 7	January 5	December 22	January 19
July 8	January 6	December 23	January 20
July 9	January 7	December 24	January 21
July 10	January 8	December 25	January 22
July 11	January 9	December 26	January 23
July 12	January 10	December 27	January 24
July 13	January 11	December 28	January 25
July 14	January 12	December 29	January 26
July 15	January 13	December 30	January 27
July 16	January 14	December 31	January 28
July 17	January 15	January 1	January 29
July 18	January 16	January 2	January 30
July 19	January 17	January 3	January 31
July 20	January 18	January 4	February 1
July 21	January 19	January 5	February 2
July 22	January 20	January 6	February 3
July 23	January 21	January 7	February 4
July 24	January 22	January 8	February 5
July 25	January 23	January 9	February 6
July 26	January 24	January 10	February 7
July 27	January 25	January 11	February 8
July 28	January 26	January 12	February 9
July 29	January 27	January 13	February 10
July 30	January 28	January 14	February 11
July 31	January 29	January 15	February 12

Injections can be given
±2 weeks from target date

Last injection given	Target injection date	Earliest possible injection date	Latest possible injection date
August 1	January 30	January 16	February 13
August 2	January 31	January 17	February 14
August 3	February 1	January 18	February 15
August 4	February 2	January 19	February 16
August 5	February 3	January 20	February 17
August 6	February 4	January 21	February 18
August 7	February 5	January 22	February 19
August 8	February 6	January 23	February 20
August 9	February 7	January 24	February 21
August 10	February 8	January 25	February 22
August 11	February 9	January 26	February 23
August 12	February 10	January 27	February 24
August 13	February 11	January 28	February 25
August 14	February 12	January 29	February 26
August 15	February 13	January 30	February 27
August 16	February 14	January 31	February 28
August 17	February 15	February 1	March 1
August 18	February 16	February 2	March 2
August 19	February 17	February 3	March 3
August 20	February 18	February 4	March 4
August 21	February 19	February 5	March 5
August 22	February 20	February 6	March 6
August 23	February 21	February 7	March 7
August 24	February 22	February 8	March 8
August 25	February 23	February 9	March 9
August 26	February 24	February 10	March 10
August 27	February 25	February 11	March 11
August 28	February 26	February 12	March 12
August 29	February 27	February 13	March 13
August 30	February 28	February 14	March 14
August 31	March 1	February 15	March 15

Please see additional Important Safety Information throughout and click [here](#) for full Prescribing Information for YEZTUGO, including **BOXED WARNING**.

YEZTUGO Continuation Dosing Calendar (cont'd)



Injections can be given
±2 weeks from target date

Last injection given	Target injection date	Earliest possible injection date	Latest possible injection date
September 1	March 2	February 16	March 16
September 2	March 3	February 17	March 17
September 3	March 4	February 18	March 18
September 4	March 5	February 19	March 19
September 5	March 6	February 20	March 20
September 6	March 7	February 21	March 21
September 7	March 8	February 22	March 22
September 8	March 9	February 23	March 23
September 9	March 10	February 24	March 24
September 10	March 11	February 25	March 25
September 11	March 12	February 26	March 26
September 12	March 13	February 27	March 27
September 13	March 14	February 28	March 28
September 14	March 15	March 1	March 29
September 15	March 16	March 2	March 30
September 16	March 17	March 3	March 31
September 17	March 18	March 4	April 1
September 18	March 19	March 5	April 2
September 19	March 20	March 6	April 3
September 20	March 21	March 7	April 4
September 21	March 22	March 8	April 5
September 22	March 23	March 9	April 6
September 23	March 24	March 10	April 7
September 24	March 25	March 11	April 8
September 25	March 26	March 12	April 9
September 26	March 27	March 13	April 10
September 27	March 28	March 14	April 11
September 28	March 29	March 15	April 12
September 29	March 30	March 16	April 13
September 30	March 31	March 17	April 14

Injections can be given
±2 weeks from target date

Last injection given	Target injection date	Earliest possible injection date	Latest possible injection date
October 1	April 1	March 18	April 15
October 2	April 2	March 19	April 16
October 3	April 3	March 20	April 17
October 4	April 4	March 21	April 18
October 5	April 5	March 22	April 19
October 6	April 6	March 23	April 20
October 7	April 7	March 24	April 21
October 8	April 8	March 25	April 22
October 9	April 9	March 26	April 23
October 10	April 10	March 27	April 24
October 11	April 11	March 28	April 25
October 12	April 12	March 29	April 26
October 13	April 13	March 30	April 27
October 14	April 14	March 31	April 28
October 15	April 15	April 1	April 29
October 16	April 16	April 2	April 30
October 17	April 17	April 3	May 1
October 18	April 18	April 4	May 2
October 19	April 19	April 5	May 3
October 20	April 20	April 6	May 4
October 21	April 21	April 7	May 5
October 22	April 22	April 8	May 6
October 23	April 23	April 9	May 7
October 24	April 24	April 10	May 8
October 25	April 25	April 11	May 9
October 26	April 26	April 12	May 10
October 27	April 27	April 13	May 11
October 28	April 28	April 14	May 12
October 29	April 29	April 15	May 13
October 30	April 30	April 16	May 14
October 31	May 1	April 17	May 15

Please see additional Important Safety Information throughout and click [here](#) for full Prescribing Information for YEZTUGO, including **BOXED WARNING**.

YEZTUGO Continuation Dosing Calendar (cont'd)



Injections can be given
±2 weeks from target date

Last injection given	Target injection date	Earliest possible injection date	Latest possible injection date
November 1	May 2	April 18	May 16
November 2	May 3	April 19	May 17
November 3	May 4	April 20	May 18
November 4	May 5	April 21	May 19
November 5	May 6	April 22	May 20
November 6	May 7	April 23	May 21
November 7	May 8	April 24	May 22
November 8	May 9	April 25	May 23
November 9	May 10	April 26	May 24
November 10	May 11	April 27	May 25
November 11	May 12	April 28	May 26
November 12	May 13	April 29	May 27
November 13	May 14	April 30	May 28
November 14	May 15	May 1	May 29
November 15	May 16	May 2	May 30
November 16	May 17	May 3	May 31
November 17	May 18	May 4	June 1
November 18	May 19	May 5	June 2
November 19	May 20	May 6	June 3
November 20	May 21	May 7	June 4
November 21	May 22	May 8	June 5
November 22	May 23	May 9	June 6
November 23	May 24	May 10	June 7
November 24	May 25	May 11	June 8
November 25	May 26	May 12	June 9
November 26	May 27	May 13	June 10
November 27	May 28	May 14	June 11
November 28	May 29	May 15	June 12
November 29	May 30	May 16	June 13
November 30	May 31	May 17	June 14

Injections can be given
±2 weeks from target date

Last injection given	Target injection date	Earliest possible injection date	Latest possible injection date
December 1	June 1	May 18	June 15
December 2	June 2	May 19	June 16
December 3	June 3	May 20	June 17
December 4	June 4	May 21	June 18
December 5	June 5	May 22	June 19
December 6	June 6	May 23	June 20
December 7	June 7	May 24	June 21
December 8	June 8	May 25	June 22
December 9	June 9	May 26	June 23
December 10	June 10	May 27	June 24
December 11	June 11	May 28	June 25
December 12	June 12	May 29	June 26
December 13	June 13	May 30	June 27
December 14	June 14	May 31	June 28
December 15	June 15	June 1	June 29
December 16	June 16	June 2	June 30
December 17	June 17	June 3	July 1
December 18	June 18	June 4	July 2
December 19	June 19	June 5	July 3
December 20	June 20	June 6	July 4
December 21	June 21	June 7	July 5
December 22	June 22	June 8	July 6
December 23	June 23	June 9	July 7
December 24	June 24	June 10	July 8
December 25	June 25	June 11	July 9
December 26	June 26	June 12	July 10
December 27	June 27	June 13	July 11
December 28	June 28	June 14	July 12
December 29	June 29	June 15	July 13
December 30	June 30	June 16	July 14
December 31	July 1	June 17	July 15

Please see additional Important Safety Information throughout and click [here](#) for full Prescribing Information for YEZTUGO, including **BOXED WARNING**.

Deliver 6 months of HIV prevention with the only twice-yearly PrEP option¹

yeztugo[®]
(lenacapavir) injection
463.5 mg/1.5 mL



Injection Kit
NDC 61958-3402-01
(for initiation and continuation)



YEZTUGO
463.5 mg/1.5-mL injection

Inject 3 mL (two 1.5-mL injections) subcutaneously on Day 1 (for initiation; must be dispensed with YEZTUGO tablets), and then every 6 months from the date of last injection (for continuation).

Quantity: 3 mL (1.5 mL x 2)
Refills: 1



Tablets
NDC 61958-3401-01
(for initiation)



YEZTUGO
300-mg tablets

Take 2 tablets by mouth once on Day 1, and 2 tablets once on Day 2 (for initiation).

Quantity: 4 tablets
Refills: 0

- For initiation of YEZTUGO, both injections and tablets are required
- For continuation of YEZTUGO, only injections are required
- For anticipated delayed injections by more than 2 weeks, 1 tablet may be taken once every 7 days (for up to 6 months) until injections resume

For illustrative purposes only.
NDC=National Drug Code; PrEP=pre-exposure prophylaxis.

Indication

YEZTUGO is indicated for pre-exposure prophylaxis (PrEP) to reduce the risk of sexually acquired HIV-1 in adults and adolescents (≥ 35 kg) who are at risk for HIV-1 acquisition. Individuals must have a negative HIV-1 test prior to initiating YEZTUGO.

Important Safety Information (cont'd)

Drug interactions

- Strong or moderate CYP3A inducers may significantly decrease YEZTUGO concentrations. Dosage modifications are recommended when initiating these inducers.
- It is not recommended to use YEZTUGO with combined P-gp, UGT1A1, and strong CYP3A inhibitors.
- Coadministration of YEZTUGO with sensitive substrates of CYP3A or P-gp may increase their concentrations and result in the increased risk of their adverse events. YEZTUGO may increase the exposure of drugs primarily metabolized by CYP3A initiated within 9 months after the last injection of YEZTUGO.

Dosage and administration

- **HIV screening:** Test for HIV-1 infection prior to initiating, prior to each subsequent injection, and as clinically appropriate using an approved or cleared test for the diagnosis of acute or primary HIV-1 infection.
- **Dosage:** Initiation dosing (injections and tablets) followed by once-every-6-months continuation injection dosing. Tablets may be taken with or without food.
 - **Initiation:** Day 1: 927 mg by subcutaneous injection (2 x 1.5-mL injections) and 600 mg orally (2 x 300-mg tablets). Day 2: 600 mg orally.
 - **Continuation:** 927 mg by subcutaneous injection every 6 months (26 weeks) from date of last injection ± 2 weeks.
- **Anticipated delayed injections:** If scheduled 6-month injection is anticipated to be delayed by more than 2 weeks, YEZTUGO tablets may be taken on an interim basis (for up to 6 months) until injections resume. Dosage is 300 mg orally (1 x 300-mg tablet) once every 7 days. Resume continuation injections within 7 days of the last oral dose.
- **Missed injections:** If more than 28 weeks have elapsed since the last injection and YEZTUGO tablets have not been taken, restart with initiation dosing if clinically appropriate.
- Dosage modifications of YEZTUGO are recommended when initiating with strong or moderate CYP3A inducers. Consult the full Prescribing Information for recommendations.

Please see additional Important Safety Information throughout and click [here](#) for full Prescribing Information for YEZTUGO, including **BOXED WARNING**.

Reference: 1. YEZTUGO. Prescribing information. Gilead Sciences, Inc.; 2025.



YEZTUGO, the YEZTUGO Logo, GILEAD, and the GILEAD Logo are trademarks of Gilead Sciences, Inc., or its related companies. All other marks referenced herein are the property of their respective owners.
©2026 Gilead Sciences, Inc. All rights reserved. US-YTGP-0415 02/26